



ISOframe[®]

A Family of Dependable Displays

Part List

Contains:

- 2-3 Accessories
- 4 Bags & Cases
- 5 Graphic panel attachments
- 6 Corner trims
- 7-8 Link & Beams
- 9 Single & Double sided posts
- 10 90° posts
- 11 90° corner posts
- 12 135° corner and T-connector posts
- 13 Oval posts
- 14 Slatwall & Shelf system
- 15 ISObar
- 16 Table attachments & Counters
- 17 Parts
- 18-19 Profiles in full length
- 20-21 Fabric system - Parts
- 22-24 Fabric system - Standard profiles
- 26 Lightbox system
- 27-28 List of all bags
- 29 Ripple system

ISOframe Part list

Accessories



LED Spotlights

12V / 18 W incl. transformer
The spotlights are delivered as a pair in our padded shock-proof spotlight bag.
Size (bag): 540 (l) x 230 (w) x 100 (d) mm
Length of spotlight: 440 mm
Weight: 270 grams/spot
Item IS-SL-LED



Media screen holder, small

to be attached to a straight beam or post
VESA 75/100
Weight: 285 grams
Max load 8 kilo
Item IS-80-TM04



Media screen holder

for curved beams. Incl. one allen key.
VESA 75/100
Weight: 570 grams
Item IS-9004



Media screen holder, Small

Incl. one straight beam for 800 mm panels
VESA 75/100
Weight: 945 grams
Max load 8 kilo
Item IS-80-TM02



Media screen holder, Large

Incl. two straight beams for 800 mm panels
VESA 400x200
Weight: 3500 grams
Max load 20 kilo
Item IS-80-TM03



iPad holder

lockable incl. Media screen holder (IS-80-TM04)
Colour: Black
Size: 285 (w) x 215 (h) mm
Weight: 1500 grams
Item IS-80-TM05



iPad holder

lockable incl. Media screen holder (IS-9004)
Colour: Black
Size: 285 (w) x 215 (h) mm
Weight: 1500 grams
Item IS-9320



iPad holder

lockable incl. Media screen holder (IS-80-TM04) and 1 straight 800 mm beam
Colour: Black
Size: 285 (w) x 215 (h) mm
Weight: 1500 grams
Item IS-9321



A4 Literature holder

can be attached on right or left side on a post
Weight: 560 grams
Item IS-80-LH01



Support-Multi connector

with locking screw
Size 40x40 mm
Weight: 15 grams
Item IS-9001



Coat hook

800 mm beam wit 5 coat hooks
Size 763 (l) x 37 (h) x 57 (d) mm
Weight: 793 grams
Item IS-9430



Floating shelf, straight

Colour: Grey
Size: 800 (w) x 200 (d) x 12 (t) mm
Weight: 1970 grams
Item IS-9454



Floating shelf, 90° corner

Colour: Grey
Size: 750 (w) x 345 (d) x 12 (t) mm
Weight: 1930 grams
Item IS-9455



Wire system kit , Wave

(excl. literature holders)
Weight: 335 grams

For custom-made sizes, 4 meter long wires

IS-9310

Ready cutted wires for MAXI (247 cm)
(2430 mm long wire)

IS-9311

Ready cutted wires for MIDI (227 cm)
(2230 mm long wire)

IS-9312

Wire cut length = Panels height - 40 mm



Wire system kit , Fabric

(excl. literature holders)

For custom-made sizes, 4 meter long wires

IS-9313

Ready cutted wires for 3 meter frame
(2960 mm long wire)

IS-9314

Ready cutted wires for 2,47 meter frame
(2430 mm long wire)

IS-9315

Ready cutted wires for 2,27 meter frame
(2230 mm long wire)

IS-9316

Ready cutted wires for 2 meter frame
(1960 mm long wire)

IS-9317

Wire cut length = Frame height - 40 mm



Brochure pocket

Acrylic literature holders for wire system and 4 connectors
Total size: A4/ US letter
Weight: X grams
Item IS-9318



Stabilising kit

for doors, straight walls etc.
Size: 750 (h) x 400 (d) mm
Weight: 1770 grams
IS-9319

ISOframe Part list

Bags & Cases



Padded bag on wheels

Holds up to a 6 section Wave system
Inner size: 970 (l) x 320 (h) x 160 (d) mm
Weight: 5000 grams
Item IS-TC-01-MB



Padded bag on wheels

Holds up to a 6 section ISObar.
Alternatively 32 pcs. 1 metre Fabric profiles.
Inner size: 1100 (l) x 320 (h) x 160 (d) mm
Weight: 6150 grams
Item IS-TC-02-MB



Graphic tube, small

with handle. Can be connected to the padded case on wheels.
Holds up to 6 graphic panels
Inner size: 900 (l) x 255 (Ø) mm
Weight: 2525 grams
Item IS-0850-RTS-S-MB



Graphic tube, large

with handle and shoulder strap.
Holds up to 9 graphic panels
Inner size: 890 (l) x 297 (Ø) mm
Weight: 3580 grams
Item IS-0850-RTB-S-MB



Bag for tables

with handle. Holds a keyboard or 90° corner table.
Inner size: 850 (l) x 350 (h) x 90 (d) mm
Weight: 680 grams
Item IS-80-TB03



Bag for tables

with handle. Holds a square or semi-circular table.
Inner size: 850 (l) x 590 (h) x 90 (d) mm
Weight: 850 grams
Item IS-80-TB05



Bag for tables

with handle. Holds a rectangular counter.
Inner size: 870 (l) x 390 (h) x 95 (d) mm
Weight: 890 grams
Item IS-80-FB02



Bag for tables

with handle. Holds a circular table top.
Please note: The bag is only for the top, not for the vertical posts.
Inner size: 660 (Ø) x 95 (d) mm
Weight: 735 grams
Item IS-80-FB03



Cover for Oval post

with velcro locking
Size: 150 (w) x 1000 (l) mm
Weight: 35 grams
Item IS-9020



Cover for Oval post

with velcro locking
Size: 150 (w) x 2100 (l) mm
Weight: 75 grams
Item IS-9021



Bag for Wave feet

with handle, holds 8 feet.
Inner size: 380 (l) x 170 (h) x 40 (d) mm
Weight: 155 grams
Item IS-5055



Bag for Wave links

with handle, holds 6 links or 8 straight beams.
Inner size: 800 (l) x 170 (h) x 90 (d) mm
Weight: 265 grams
Item IS-5054



Bag for door

with handle, holds a complete door section.
Inner size: 1040 (l) x 170 (h) x 120 (d) mm
Weight: 1250 grams
Item IS-DOOR-BAG



Bag (BannerUp 88) for posts

with shoulder strap.
Holds 12 post 550 or 750 mm
Inner size: 900 (l) x 130 (h) x 140 (d) mm
Weight: 850 grams
Item 5020



Bag (BannerUp 100) for posts

with shoulder strap.
Holds 12 post 850 mm
Inner size: 1000 (l) x 130 (h) x 140 (d) mm
Weight: 950 grams
Item 5021



Bag (BannerUp 120) for posts

with shoulder strap.
Holds 12 straight post 1200 mm
Inner size: 1200 (l) x 130 (h) x 140 (d) mm
Weight: 1050 grams
Item 5022



Bag for posts

with handle.
Holds 9 straight post
Inner size: 850 (l) x 120 (h) x 120 (d) mm
Weight: 320 grams
Item IS-5056



All-in-one case

with wheels, can also be used as counter.
Holds a 6 section Wave system and 2 LED spotlights in the top.
Size: 980 (h) x 690 (w) x 400 (d) mm
Weight: 11500 grams
Item IS-5053



Alu/wood hardcase

with wheels, can also be used as counter.
Holds a 17 section Wave system or 81 posts or straight beams.
Size: 1150 (l) x 340 (w) x 350 (h) mm
Weight: 16300 grams
Item 88073



Fastening strap

Size: 2000 (l) x 25 (w) x 1,5 (d) mm
Perfect for Expo-Case
Item 9705

ISOframe Part list

Bags & Cases

	Bag for ISObar posts <i>Holds 2 posts</i> <i>Inner size: 1000 (l) x 40 (h) x 80 (d) mm</i> <i>Weight: X grams</i> Item IS-5057		Hard Case for Ripple <i>China</i> <i>Fits a 5-section Ripple wall complete with spotlights and table top.</i> <i>Inner size: 400 x 280 x 840 mm</i> <i>Weight: 9145 grams</i> <i>Complete loaded with 5 sections: 30 kg</i> Item IS-5066
	Door bag ?????? <i>for Wave & Fabric door, can also be used for profiles.</i> <i>Inner size: 1000 (l) x 40 (h) x 80 (d) mm</i> <i>Weight: X grams</i> Item IS-5058		Table top for IS-5066 <i>complete with padded bag</i> <i>Size plate: 580 x 380 mm</i> <i>Size bag: 650 x 240 x 40 mm</i> <i>Weight: 2285 grams</i> Item IS-5067
	Bag for Base & Top shelves <i>to make a Large Graphic Tube to a small table, incl. carrying bag.</i> <i>Inner size: dia. 450 mm</i> <i>Weight: grams</i> Item IS-5059		
	Ripple rollable bag <i>for single sided stands</i> <i>Inner size: X mm</i> <i>Weight: grams</i> Item IS-5060		
	Graphic tube, small <i>with handle. Can be connected to the padded case on wheels.</i> <i>Holds up to 6 graphic panels</i> <i>Inner size: 900 (l) x 255 (Ø) mm</i> <i>Weight: 2525 grams</i> Item IS-5061		
	Graphic tube, large <i>with handle and shoulder strap.</i> <i>Holds up to 9 graphic panels</i> <i>Inner size: 890 (l) x 297 (Ø) mm</i> <i>Weight: 3580 grams</i> Item IS-5062		
	Ripple Hard Case <i>Excelsior</i> <i>Fits a 5-section Ripple wall.</i> <i>Inner size: X mm</i> <i>Weight: grams</i> Item IS-5063		
	Table top for IS-5063 <i>for Excelsior hard case</i> <i>Inner size: X mm</i> <i>Weight: grams</i> Item IS-5064		
	Expo Case <i>x</i> <i>Inner size: X mm</i> <i>Weight: grams</i> Item 10604		

ISOframe Part list

Graphic panel attachments



Magnetic tape

A-tape, for panels and corner trims
12 mm, 30 meter
Weight: 2010 grams
Item 82281



Magnetic tape

B-tape, for post, beams and graphic stiffner
12 mm, 30 meter
Weight: 2010 grams
Item 82284



Magnetic tape

A-tape, for panels
25,4 mm, 30 meter
Weight: 4260 grams
Item 82282



Magnetic tape

B-tape, for post and beams
25,4 mm, 30 meter
Weight: 4260 grams
Item 82283



Metallic tape

Item IS-ST12



Kickers & Hangers

1,25 x 40 x 400 mm
Weight: 80 grams
Item IS-400-KHN



Kickers & Hangers

1,25 x 40 x 800 mm
Weight: 130 grams
Item IS-800-KHN



Kickers & Hangers

for custom made
1,25 x 40 x 900 mm
Weight: 135 grams
Item IS-REAR-KH



Edge stiffener

for custom made edge stiffener
without magnet
1,25 x 40 x 900 mm
Weight: 80 grams
Item IS-9026



Graphic stiffener

Item IS-800-GS

ISOframe Part list

Corner trims

Corner trim, flexible panels		Corner trim, Flying Oval	
	Corner trim <i>for flexible panels, approx 0,5 mm thickness Length: 550 mm Weight: 110 grams</i> Item IS-0550-CT		Corner trim kit, Mini <i>for Flying Oval, left approx 0,5 mm thickness Length 2070 mm Weight: 425 grams</i> Item IS-CF-81-CTLR
	Corner trim <i>for flexible panels, approx 0,5 mm thickness Length: 750 mm Weight: 151 grams</i> Item IS-0750-CT		Corner trim kit, Midi <i>for Flying Oval, left approx 0,5 mm thickness Length 2270 mm Weight: 465 grams</i> Item IS-CF-82-CTLR
	Corner trim <i>for flexible panels, approx 0,5 mm thickness Length: 770 mm Weight: 158 grams</i> Item IS-0770-CT		Corner trim kit, Maxi <i>for Flying Oval, left approx 0,5 mm thickness Length 2470 mm Weight: 505 grams</i> Item IS-CF-83-CTLR
	Corner trim <i>for flexible panels, approx 0,5 mm thickness Length 850 mm Weight: 175 grams</i> Item IS-0850-CT		
Corner trim, semi-rigid panels			
	Corner trim <i>for semi-rigid panels, approx 2,0-2,5 mm thickness Length 550 mm Weight: 161 grams</i> Item IS-0550-CTT		
	Corner trim <i>for semi-rigid panels, approx 2,0-2,5 mm thickness Length 750 mm Weight: 217 grams</i> Item IS-0750-CTT		
	Corner trim <i>for semi-rigid panels, approx 2,0-2,5 mm thickness Length 770 mm Weight: 223 grams</i> Item IS-0770-CTT		
	Corner trim <i>for semi-rigid panels, approx 2,0-2,5 mm thickness Length 850 mm Weight: 246 grams</i> Item IS-0850-CTT		

ISOframe Part list

Link & Beams



Flexible Wave Link

For panels width: 800 mm

Weight: 740 grams

Item IS-W-FLH



Post – Wave

Base profile with cut out for link and Fast

Clamp for foot

Length: 37 (w) x 37 (d) 763 (h) mm

Weight: 700 grams

Item IS-W763-BPH



Foot for Wave system

Length: 1030 mm

Weight: 395 grams

Item IS-WET-01



Design foot for Wave system

Length: 1030 mm

Weight: 395 grams

Item IS-WET-02

Extension Post – 200 mm

with center connector profile and magnetic

tape on one side.

Total size: 37 x 37 x 850 mm

Cutting length: 750 mm

Weight: 690 grams

Item IS-0200-EP



Beam straight

Design profile with Fast Clamp in each end

Length: 165 mm

Cutting length: 165 mm

Weight: 177 grams

Item IS-165-DP



Beam straight

with metal tape

For panels width: 400 mm

Cutting length: 363 mm

Weight: 375 grams

Item IS-400-BS



Beam straight

Design profile with Fast Clamp in each end

For panels width: 400 mm

Cutting length: 363 mm

Weight: 295 grams

Item IS-400-DP



Beam straight

with metal tape

For panels width: 800 mm

Cutting length: 763 mm

Weight: 690 grams

Item IS-800-BS



Beam straight

Design profile with Fast Clamp in each end

For panels width: 800 mm

Cutting length: 763 mm

Weight: 523 grams

Item IS-800-DP



Beam 30°

inside curve

For panels width: 400 mm

Weight: 302 grams

Item IS-4030-I



Beam 30°

outside curve

For panels width: 400 mm

Weight: 280 grams

Item IS-4030-O



Beam 45°

inside curve

For panels width: 400 mm

Weight: 308 grams

Item IS-4045-I



Beam 45°

outside curve

For panels width: 400 mm

Weight: 271 grams

Item IS-4045-O



Beam 5°

inside curve

For panels width 800 mm

Weight: 510 grams

Item IS-8005-I



Beam 5°

outside curve

For panels width: 800 mm

Weight: 506 grams

Item IS-8005-O



Beam 10°

inside curve

For panels width: 800 mm

Weight: 410 grams

Item IS-8010-I



Beam 10°

outside curve

For panels width: 800 mm

Weight: 505 grams

Item IS-8010-O



Beam 15°

inside curve

For panels width: 800 mm

Weight: 495 grams

Item IS-8015-I



Beam 15°

outside curve

For panels width: 800 mm

Weight: 480 grams

Item IS-8015-O

ISOframe Part list

Link & Beams

	Beam 22,5° <i>inside curve</i> For panels width: 800 mm Weight: 491 grams Item IS-8022,5-I	
	Beam 22,5° <i>outside curve</i> For panels width: 800 mm Weight: 500 grams Item IS-8022,5-O	
	Beam 30° <i>inside curve</i> For panels width: 800 mm Weight: 530 grams Item IS-8030-I	
	Beam 30° <i>outside curve</i> For panels width: 800 mm Weight: 497 grams Item IS-8030-O	
	Beam 45° <i>inside curve</i> For panels width: 800 mm Weight: 537 grams Item IS-8045-I	
	Beam 45° <i>outside curve</i> For panels width: 800 mm Weight: 495 grams Item IS-8045-O	
	Beam 60° <i>inside curve</i> For panels width: 800 mm Weight: 560 grams Item IS-8060-I	
	Beam 60° <i>outside curve</i> For panels width: 800 mm Weight: 490 grams Item IS-8060-O	
	Beam 90° <i>inside curve</i> For panels width: 800 mm Weight: 574 grams Item IS-8090-I	
	Beam 90° <i>outside curve</i> For panels width: 800 mm Weight: 480 grams Item IS-8090-O	

ISOframe Part list

Single & Double sided posts



Base Post – single sided

with adjustable foot and magnetic tape on one side.
Total size: 37 x 37 x 772 mm
Cutting length: 750 mm
Weight: 665 grams
Item IS-0750-BP



Base Post – double sided

Profile with adjustable foot and magnetic tape on two sides.
Total size: 37 x 37 x 772 mm
Cutting length: 750 mm
Weight: 774 grams
Item IS-0750-DBP



Base Post – single sided

with adjustable foot and magnetic tape on one side.
Total size: 37 x 37 x 2022 mm
Cutting length: 2000 mm
Weight: 1820 grams
Item IS-2000-BP

Base Post – double sided

Profile with adjustable foot and magnetic tape on two sides.
Total size: 37 x 37 x 2022 mm
Cutting length: 2000 mm
Weight: 2100 grams
Item IS-2000-DBP



Extension Post – single sided

with center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 850 mm
Cutting length: 750 mm
Weight: 690 grams
Item IS-0750-EP

Extension Post – double sided

with center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 850 mm
Cutting length: 750 mm
Weight: 795 grams
Item IS-0750-DEP



Extension Post – single sided

with center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 950 mm
Cutting length: 850 mm
Weight: 782 grams
Item IS-0850-EP

Extension Post – double sided

with center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 950 mm
Cutting length: 850 mm
Weight: 819 grams
Item IS-0850-DEP



Top Post – single sided

with top hub, center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 655 mm
Cutting length: 517 mm
Weight: 525 grams
Item IS-0555-TP

Top Post – double sided

with top hub, center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 655 mm
Cutting length: 517 mm
Weight: 628 grams
Item IS-0555-DTP



Top Post – single sided

with top hub, center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 855 mm
Cutting length: 717 mm
Weight: 710 grams
Item IS-0755-TP

Top Post – double sided

with top hub, center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 855 mm
Cutting length: 717 mm
Weight: 820 grams
Item IS-0755-DTP



Top Post – single sided

with top hub, center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 955 mm
Cutting length: 817 mm
Weight: 805 grams
Item IS-0855-TP

Top Post – double sided

with top hub, center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 955 mm
Cutting length: 817 mm
Weight: 925 grams
Item IS-0855-DTP



Top Post – single sided

with top hub, center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 1105 mm
Cutting length: 967 mm
Weight: 945 grams
Item IS-1005-TP

Top Post – double sided

with top hub, center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 1105 mm
Cutting length: 967 mm
Weight: 1100 grams
Item IS-1005-DTP



Top Post – single sided

with top hub, center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 1605 mm
Cutting length: 1467 mm
Weight: 1415 grams
Item IS-1505-TP

Top Post – double sided

with top hub, center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 1605 mm
Cutting length: 1467 mm
Weight: 1630 grams
Item IS-1505-DTP



Top Post – single sided

with top hub, center connector profile and magnetic tape on one side.
Total size: 37 x 37 x 2105 mm
Cutting length: 1967 mm
Weight: 1885 grams
Item IS-2005-TP

Top Post – double sided

with top hub, center connector profile and magnetic tape on two sides.
Total size: 37 x 37 x 2105 mm
Cutting length: 1967 mm
Weight: 2185 grams
Item IS-2005-DTP



ISOframe Part list

90° posts

	Base Post – 90° ext. corner profile with adjustable foot, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 772 mm Cutting length: 750 mm Weight: 774 grams Item IS-0750-EB		Base Post – 90° ext. corner profile with adjustable foot, magnetic tape on two sides. Total size: 37 x 37 x 772 mm Cutting length: 750 mm Weight: 774 grams Item IS-0750-EBM
	Base Post – 90° ext. corner profile with adjustable foot, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 2022 mm Cutting length: 2000 mm Weight: 1900 grams Item IS-2000-EB		Base Post – 90° ext. corner profile with adjustable foot and with cut out for link, magnetic tape on two sides. Total size: 37 x 37 x 772 mm Cutting length: 750 mm Weight: 774 grams Item IS-7750-EBM
	Center Post – 90° ext. corner with center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 850 mm Cutting length: 750 mm Weight: 795 grams Item IS-0750-EE		Center Post – 90° ext. corner with center connector profile, magnetic tape on two sides. Total size: 37 x 37 x 300 mm Cutting length: 200 mm Weight: XX grams Item IS-0200-EEM
	Center Post – 90° ext. corner with center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 950 mm Cutting length: 850 mm Weight: 870 grams Item IS-0850-EE		Center Post – 90° ext. corner with center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 850 mm Cutting length: 750 mm Weight: 795 grams Item IS-0750-EEM
	Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 655 mm Cutting length: 517 mm Weight: 628 grams Item IS-0555-ET		Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on two sides. Total size: 37 x 37 x 855 mm Cutting length: 717 mm Weight: 855 grams Item IS-0755-ETM
	Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 855 mm Cutting length: 717 mm Weight: 855 grams Item IS-0755-ET	Special for Tower module	
	Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 955 mm Cutting length: 817 mm Weight: 965 grams Item IS-0855-ET		Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on two sides. Total size: 37 x 37 x 605 mm Cutting length: 467 mm Weight: 855 grams Item IS-0505-ETM
	Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 1105 mm Cutting length: 967 mm Weight: 1135 grams Item IS-1005-ET	Special for Tower module	
	Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 1605 mm Cutting length: 1467 mm Weight: 1700 grams Item IS-1505-ET		Top Post – 90° ext. corner with top hub, 50 mm center connector profile, magnetic tape on two sides. Total size: 37 x 37 x 605 mm Cutting length: 467 mm Weight: 855 grams Item IS-0485-ETM
	Top Post – 90° ext. corner with top hub, center connector profile, magnetic tape on one side and metal tape two sides. Total size: 37 x 37 x 2105 mm Cutting length: 1967 mm Weight: 2265 grams Item IS-2005-ET		

ISOframe Part list

9corner posts



90° Corner Base Post
with adjustable foot.
Can be used double sided
Total size: 86 (w) x 55 (d) x 772 (h) mm
Cutting length: 750 mm
Weight: 1545 grams
Item IS-0750-IB90



90° Corner Center Post
with center connector profile.
Can be used double sided.
Total size: 86 (w) x 55 (d) x 850 (h) mm
Cutting length: 750 mm
Weight: 1350 grams
Item IS-0750-IE90




90° Corner Top Post
with top hub and center connector profile.
Can be used double sided.
Total size: 86 (w) x 55 (d) x 660 (h) mm
Post length: 560 mm
Weight: 990 grams
Item IS-0555-IT90



90° Corner Top Post
with top hub and center connector profile.
Can be used double sided.
Total size: 86 (w) x 55 (d) x 960 (h) mm
Post length: 860 mm
Weight: 1540 grams
Item IS-0855-IT90




90° Corner Top Post
with top hub and center connector profile.
Can be used double sided.
Total size: 86 (w) x 55 (d) x 1110 (h) mm
Post length: 1010 mm
Weight: 1800 grams
Item IS-1005-IT90



90° Corner Top Post
with top hub and center connector profile.
Can be used double sided.
Total size: 86 (w) x 55 (d) x 2110 (h) mm
Post length: 2010 mm
Weight: 3600 grams
Item IS-2005-IT90



Stabilising beam, straight 800
Incl. I-beam
Beam length: 763 mm
Size: X (h) x X (d) mm
Weight: X grams
IS-9390



Stabilising beam, straight 706
Incl. I-beam
Beam length: 669 mm
Size: X (h) x X (d) mm
Weight: X grams
IS-9391



Stabilising beam, 30° - 800
Incl. I-beam
Size: X (h) x X (d) mm
Weight: X grams
IS-9392



Stabilising beam, 30° - 706
Incl. I-beam
Beam length: 669 mm
Size: X (h) x X (d) mm
Weight: X grams
IS-9393



Stabilising beam, 90° - 800
Incl. I-beam
Size: X (h) x X (d) mm
Weight: X grams
IS-9394

ISOframe Part list

135° and T-connector posts



135° Corner Base Post

with adjustable foot.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 772 (h) mm
Cutting length: 750 mm
Weight: 1520 grams
Item IS-0750-IB135



T-Connector Base Post

with adjustable foot.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 772 (h) mm
Cutting length: 750 mm
Weight: 1895 grams
Item IS-0750-ITB



135° Corner Base Post

with adjustable foot.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 2022 (h) mm
Cutting length: 2000 mm
Weight: 4060 grams
Item IS-2000-IB135

T-Connector Base Post

with adjustable foot.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 2022 (h) mm
Cutting length: 2000 mm
Weight: 5060 grams
Item IS-2000-ITB



135° Corner Center Post

with center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 850 (h) mm
Cutting length: 750 mm
Weight: 1520 grams
Item IS-0750-IE135

T-Connector Center Post

with center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 850 (h) mm
Cutting length: 750 mm
Weight: 1895 grams
Item IS-0750-ITE



135° Corner Center Post

with center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 950 (h) mm
Cutting length: 850 mm
Weight: 1725 grams
Item IS-0850-IE135

T-Connector Center Post

with center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 950 (h) mm
Cutting length: 850 mm
Weight: 2150 grams
Item IS-0850-ITE



135° Corner Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 660 (h) mm
Post length: 560 mm
Weight: 1125 grams
Item IS-0555-IT135

T-Connector Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 660 (h) mm
Post length: 560 mm
Weight: 1405 grams
Item IS-0555-ITT



135° Corner Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 860 (h) mm
Post length: 760 mm
Weight: 1530 grams
Item IS-0755-IT135

T-Connector Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 860 (h) mm
Post length: 760 mm
Weight: 1910 grams
Item IS-0755-ITT



135° Corner Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 960 (h) mm
Post length: 860 mm
Weight: 1735 grams
Item IS-0855-IT135

T-Connector Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 960 (h) mm
Post length: 860 mm
Weight: 2165 grams
Item IS-0855-ITT



135° Corner Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 1110 (h) mm
Post length: 1010 mm
Weight: 2040 grams
Item IS-1005-IT135

T-Connector Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 1110 (h) mm
Post length: 1010 mm
Weight: 2545 grams
Item IS-1005-ITT



135° Corner Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 1610 (h) mm
Post length: 1510 mm
Weight: 3055 grams
Item IS-1505-IT135

T-Connector Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 1610 (h) mm
Post length: 1510 mm
Weight: 3810 grams
Item IS-1505-ITT



135° Corner Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 66 (w) x 47 (d) x 2110 (h) mm
Post length: 2010 mm
Weight: 4070 grams
Item IS-2005-IT135

T-Connector Top Post

with top hub and center connector profile.
Can be used double sided.
Total size: 85 (w) x 60 (d) x 2110 (h) mm
Post length: 2010 mm
Weight: 5075 grams
Item IS-2005-ITT

Oval posts

Base post with "Fast Clamp"
Total size: 50 (w) x 120 (d) x 760 mm
Cutting size: 760
Weight: 2300 grams
Item IS-OP-760-BP

with center connector profile.
Total size: 50 (w) x 120 (d) x 850 mm
Cutting size: 750
Weight: 2300 grams
Item IS-OP-750-EP

with center connector profile.
Total size: 50 (w) x 120 (d) x 950 mm
Cutting size: 850
Weight: 2600 grams
Item IS-OP-850-EP

Length 340 mm
Weight: 550 grams
Item IS-03-OF

Extra Stable Foot
for Oval post and Wave system
Length 450 mm
Weight: 1345 grams
Item IS-9027

with magnet tape on one side and 2 screws
Total size: 37 (w) x 25 (d) x 750 (h) mm
Cutting size: 750
Weight: 590 grams
Item IS-OP-750-OPC

with magnet tape on one side and 2 screws
Total size: 37 (w) x 25 (d) x 850 (h) mm
Cutting size: 850
Weight: 665 grams
Item IS-OP-850-OPC

Item IS-OP-555-OPC
with Top hub, magnet tape on one side
and 2 screws
Total size: 37 (w) x 25 (d) x 555 (h) mm
Cutting length: 517 mm
Weight: 435 grams

with Top hub, magnet tape on one side
and 2 screws
Total size: 37 (w) x 25 (d) x 755 (h) mm
Cutting length: 717 mm
Weight: 590 grams
Item IS-OP-755-OPC

with Top hub, magnet tape on one side
and 2 screws
Total size: 37 (w) x 25 (d) x 855 (h) mm
Cutting length: 817 mm
Weight: 670 grams
Item IS-OP-855-OPC

ISOframe Part list

Slatwall & Shelf system



Slatwall panel

Colour: Grey
Size: 845 (h) x 800 (w) x 19 (t) mm
Weight: 8500 grams
Item IS-SW-01




Slatwall panel

Colour: Black
Size: 845 (h) x 800 (w) x 19 (t) mm
Weight: 8500 grams
Item IS-SW-02



Slatwall panel

Colour: Grey
Size: 845 (h) x 400 (w) x 19 (t) mm
Weight: 4200 grams
Item IS-SW-03



Slatwall panel

Colour: Black
Size: 845 (h) x 400 (w) x 19 (t) mm
Weight: 4200 grams
Item IS-SW-04



Wooden shelf

Colour: Grey
Size: 700 (w) x 350 (d) x 19 (t) mm
Weight: 3685 grams
Item IS-SW-05



Wooden shelf

Colour: Black
Size: 700 (w) x 350 (d) x 19 (t) mm
Weight: 3685 grams
Item IS-SW-06



Base shelf

Colour: Grey
Size: 750 (w) x 425 (d) x 19 (t) mm
Weight: 4280 grams
Item IS-SW-07



Base shelf

Colour: Black
Size: 750 (w) x 425 (d) x 19 (t) mm
Weight: 4280 grams
Item IS-SW-08



Top shelf

Colour: Black
Size: 760 (w) x 405 (d) x 8 (t) mm
Weight: 1915 grams
Item IS-SW-09



Shelf bracket

Colour: Silver
Size: 320 (l) mm
Weight: 252 grams
Item IS-SW-10



Slot receiver

for shelf bracket
Length 120 mm
Weight: 25 grams
Item IS-9002



Shelf bracket

one pair, left & right
Length 190 mm
Weight: 260 grams/pair
Item IS-9003



Straight shelf











Colour: Black
Size: 800 (h) x 250 (w) x 8 (t) mm
Graphic width 800 mm
Weight: 1275 grams
Item IS-9015



Inside curved shelf 22,5°

Colour: Black
Size: 790 (h) x 250 (w) x 8 (t) mm
Graphic width 800 mm
Weight: 1195 grams
Item IS-9016

ISObar



ISOframe Part list

ISObar **UK** version



Straight counter top

Size: 800 (w) x 535 (d) x 18 (t) mm (excl. side connectors)
Weight: 7040 grams
Item IS-9343

Straight counter base


Size: 800 (w) x 535 (d) x 18 (t) mm (excl. side connectors)
Weight: 7040 grams
Item IS-9344

Straight inner shelf - start

Size: XX (w) x 470 (d) x 18 (t) mm
Weight: X grams
Item IS-9345

Straight inner shelf - Ext./end

Size: 795 (w) x 470 (d) x 18 (t) mm
Weight: 5600 grams
Item IS-9346



30° curved counter top

Size: 800 (w) x 560 (d) x 18 (t) mm
Weight: 5585 grams
Item IS-9347

30° curved counter base


Size: 800 (l) x 560 (w) x 18 (t) mm
Weight: 5585 grams
Item IS-9348

30° curved inner shelf - start

Size: 680 (w) x 480 (d) x 18 (t) mm
Weight: 3895 grams
Item IS-9349

30° curved inner shelf

- Ext./end
Size: 770 (w) x 490 (d) x 18 (t) mm
Weight: 4200 grams
Item IS-9350



90° curved counter top

Size: 750 (w) x 5350 (d) x 18 (t) mm
Weight: 3975 grams
Item IS-9351

90° curved counter base

Size: 750 (w) x 5350 (d) x 18 (t) mm
Weight: 3975 grams
Item IS-9352

90° curved inner shelf - start

Size: 680 (w) x 490 (d) x 18 (t) mm
Weight: 2810 grams
Item IS-9353

90° curved inner shelf

- Ext./end

Size: 605 (w) x 420 (d) x 18 (t) mm
Weight: 2260 grams
Item IS-9354



Side connector bracket

Size: 130 (l) x 76 (w) x d (t) mm
Weight: 220 grams
Item IS-9357



Inner shelf bracket

Size: 37 (l) x 15 (w) x 2 (t) mm
Weight: 5 grams
Item IS-9358



Post for ISObar

With metal tape on sides and FASTclaps in each ends and stop bracket in the middle.
Cutting size: 990 (l) mm
Weight: 970 grams
Item IS-0990-UPM



Corner trim

Cutting size: 988 (l) mm
Weight: X grams
Item IS-0990-CT

Magnetic strip, 630

Size: 630 (l) x 20 (w) x 4 (t)mm
Weight: X grams
Item IS-9355

Magnetic strip, 360

Size: 360 (l) x 20 (w) x 4 (t)mm
Weight: X grams
Item IS-9356



Bag

for one section of counter (top + base + inner shelf)
Inner size: 850 (l) x 590 (h) x 90 (d) mm
Weight: 850 grams
Item IS-80-TB05


ISOframe Part list

Table attachments and Counters

	Top shelf for Keyboard table attachment with magnetic tape and a beam Colour: Grey Size: 800 (w) x 200 (d) x 18 (t) mm Weight: 3100 grams A part of Item IS-TA03-N		Top shelf for Circular counters with magnetic tape Colour: Grey Size: 18 (t) x 650 (Ø) mm Weight: 5300 grams A part of Item IS-FT03
	Base shelf for Keyboard table attachment with metal tape, a beam and 4 feet Colour: Nature Size: 780 (w) x 180 (d) x 18 (t) mm Weight: 2600 grams A part of Item IS-TA03-N		Base shelf for Circular counters with metal tape and 4 feet Colour: Nature Size: 18 (t) x 630 (Ø) mm Weight: 3800 grams A part of Item IS-FT03
	Top shelf for Square table attachment with magnetic tape and a beam Colour: Grey Size: 800 (w) x 500 (d) x 18 (t) mm Weight: 6700 grams A part of Item IS-TA01-N		Inner shelf for Circular counters Colour: Nature Size: 18 (t) x 630 (Ø) mm Weight: 3400 grams A part of Item IS-FTS-03
	Base shelf for Square table attachment with metal tape, a beam and 4 feet Colour: Nature Size: 780 (w) x 490 (d) x 18 (t) mm Weight: 6500 grams A part of Item IS-TA01-N		Top shelf for Rectangular counters with magnetic tape Colour: Grey Size: 1000 (w) x 400 (d) x 18 (t) mm Weight: 5800 grams A part of Item IS-FT02
	Top shelf for Semi-circular table attachment with magnetic tape and a beam Colour: Grey Size: 800 (w) x 400 (d) x 18 (t) mm Weight: 4700 grams A part of Item IS-TA02-N		Base shelf for Rectangular counters with metal tape and 4 feet Colour: Nature Size: 990 (w) x 390 (d) x 18 (t) mm Weight: 4600 grams A part of Item IS-FT02
	Base shelf for Semi-circular table attachment with metal tape, a beam and 4 feet Colour: Nature Size: 780 (w) x 390 (d) x 18 (t) mm Weight: 4500 grams A part of Item IS-TA02-N		Inner shelf for Rectangular counters Colour: Nature Size: 990 (w) x 380 (d) x 18 (t) mm Weight: 4300 grams A part of Item IS-FTS-02
	Top shelf for 90° corner table attachment with magnetic tape and a beam Colour: Grey Size: 750 (w) x 345 (d) x 18 (t) mm Weight: 3000 grams A part of Item IS-TA04-N Shelf only Item IS-TA04-T		
	Base shelf for 90° corner table attachment with metal tape, a beam and 4 feet Colour: Nature Size: 750 (w) x 335 (d) x 18 (t) mm Weight: 2600 grams A part of Item IS-TA04-N		Post for counters with fast clap in each end and a stop screw for inner shelf Length: 830 mm Weight: 810 grams Item IS-0830-UPM
	Keyboard plinth top for oval post Colour: Grey Size: 700 (w) x 305 (d) x 18 (t) mm Weight: 2450 grams Item IS-CO-KP		T-box profile for Table attachment Length: 830 mm Weight: 300 grams Item IS-0830-TBX
	Table plinth top for oval post Colour: Grey Size: 400 (w) x 200 (d) x 18 (t) mm Weight: 920 grams Item IS-CO-ST		Corner trim for counters with flexible panels, approx 0,5 mm thickness Length: 830 mm Weight: 158 grams Item IS-0830-CT

ISOframe Part list

Parts

	
Stop bracket size: 12x14 mm Item IS-STOP	Single top hub w/ one magnet Item IS-HC-GR
	
Slot connector with two screws Length: 46 mm Item IS-46-SSC	Double top hub w/ two magnets Item IS-PC-GR
	
Locking slot profile with three screws Length: 46 mm Weight: 10 grams Item IS-9022	Magnets for top hub Item IS-TH-MAG
	
Profile for Wave & Oval foot with two screws Length: 40 mm Weight: 10 grams Item IS-9023	Post levelling tool Height: 125 mm Item IS-9012
	
Center connection profile with two screws Length: 150 mm Weight: 45 grams Item IS-150-CSC	Twist nuts for M6 screw Length: 17 mm Width: 8 mm Height: 6 mm Item IS-9046
	Fast Clamp connector plat with four screws Size: 37x37 mm Item IS-FTT-TP
	Foot for Base Post Adjustable 22-44 mm Wight: 20 grams Item 80025
	Foot for Base Shelf Adjustable 20-40 mm Weight: 25 grams Item 80026
	Oval post End caps for Oval post Item IS-OP-L
	Fast Clamp Kit Item IS-CL-PP

L edigt IS-9046 - IS-9049

ISOframe Part list

Profiles in full length



Standard profile

single sided for post and straight beam
without magnetic tape.
Total size: 37 x 37 x 3300 mm
Weight: 2325 grams
Item IS-3300-SP



Standard profile

double sided for post and straight beam
without magnetic tape.
Total size: 37 x 37 x 3300 mm
Weight: 2370 grams
Item IS-3300-SPD



D profile

for post and straight beam.
Total size: 37 x 37 x 3300 mm
Weight: 1875 grams
Item IS-3300-DP



Center connection profile

Item IS-2000-CSC



Slot connection profile

to use in the outer slot in some profile.
Total size: 12,5 x 6,6 x 2000 mm
Weight: 300 grams
Item IS-2000-SSC



Oval post profile

Total size: 120 x 49 x 3300 mm
Weight: 9750 grams
Item IS-3300-OP



Insert profile for Oval post

to use in the outer slot in some profile
without magnet tape.
Total size: 36,6 x 24,5 x 3300 mm
Weight: 2565 grams
Item IS-OP-3300-OPC



T-box profile

to attach a graphic panel 90° from a
standard post.
Total size: 23 x 20 x 3300 mm
Weight: 3975 grams
Item IS-3300-TBX



Post connection profile

To connect two posts.
Total size: 8,5 x 12 x 3300 mm
Weight: 535 grams
Item IS-9095



Spotlight profile

to connect spotlight to the beams.
Total size: 22,5 x 8,5 x 3300 mm
Weight: 485 grams
Item IS-9096



90° Corner profile

without magnetic tape
Can be used double sided.
Total size: 86 (w) x 55 (d) x 2000 (l) mm
Weight: 3950 grams
Item IS-2000-I90



135° Corner Center Post

without magnetic tape
Can be used double sided.
Total size: 66 (w) x 47 (d) x 2000 (l) mm
Weight: 3385 grams
Item IS-2000-I135



T-Connector Center Post

without magnetic tape
Can be used double sided.
Total size: 85 (w) x 60 (d) x 2000 (l) mm
Weight: 5000 grams
Item IS-2000-IT



Corner trim

for ISObar with rollable panels,
approx 0,5 mm thickness
Length: 3300 mm
Weight: 207 grams
Item IS-3300-CT



Corner trim

for ISObar semi-rigid panels,
approx 2,0-2,5 mm thickness
Length: 3300 mm
Weight: 293 grams
Item IS-3300-CTT



Corner trim, half

for Slatwall panels
Total size: 21 x 8,5 x 3300 mm
Weight: XX grams
Item IS-3300-CTH



Slatwall profile

to connect spotlight to the beams.
Total size: 92 (90) x 8,3 x 3300 mm
Weight: 2648 grams (800 g/m)
Item IS-9333



Medium Oval profile

to connect spotlight to the beams.
Total size: 37 x 74 x 3300 mm
Weight: 5610 grams (1700 g/m)
Item IS-9334



Infill profile (I-beam)

to be used with 2 beams or posts
Total size: 15x 169 (163) x 3300 mm
Weight: 4422 grams (1340 g/m)
Item IS-9335



Ripple profile


to connect spotlight to the beams.
Total size: 37 x 20 x 3300 mm
Weight: 1815 grams (550 g/m)
Item IS-9336

ISOframe Part list


Profiles in full length




Fabric profile
double sided.
Total size: 37 x 37 x 3300 mm
Weight: 3120 grams
Item IS-9097



Fabric profile, half
Total size: 37 x 37 x 3300 mm
Weight: 3234 grams (980 g/m)
Item IS-9330



Fabric profile, wallmount
Total size: 29 x 20 x 3300 mm
Weight: 1881 grams (570 g/m)
Item IS-9331



90° corner profile
xxxxxx xxxxxx.
Total size: 52 x 33 x 3300 mm
Weight: 2425 grams
Item IS-9098



Vertical support post
price 1 meter lenght
Total size:
Weight:
Item IS-9359-1



90° corner profile
new model for Twist Lock
Total size: 37 x 37 x 3100 mm
Weight: 750 grams/meter
Item IS-9375

ISOframe Part list

Fabric system -Parts

	Fast slot clamp to be use in a pair together with a Fast slot connector Total size: 70 x 12 mm Weight: 26 grams Item IS-9056		Bottom foot Total size: Ø 25 x 12 (h) mm Weight: xx grams Item IS-9058
	Assymetric Fast slot connector, straight to be together with Fast slot clamp on one side and one side with screws Total size: 100 x 8,5 x 2 mm Weight: 18 grams Item IS-9069		Twist-in foot Total size: 370 x 60 mm Weight: 470 grams Item IS-9060
	Fast slot connector, straight to be together with two Fast slot clamp Total size: 100 x 8,5 x 2 mm Weight: 14 grams Item IS-9050		Twist-in half foot Total size: 220 x 60 mm Weight: 285 grams Item IS-9061
	Fast slot connector, 90° to be together with two Fast slot clamp Total size: 62 x 62 x 2 mm Weight: 17 grams Item IS-9051		Twist-in foot, extra stabile Total size: 450 x 100 mm Weight: 1350 grams Item IS-9063
	Slot connector, straight 1 kit Total size: 110 x 12 mm Weight: 42 grams Item IS-9052		Silicon edge strip to sew at the edge on the reverse of the fabric Total size: 8 x 2 mm x 25 m Weight: xx grams Item IS-9064 - not in stock
	Slot connector, 90° 1 kit Total size: 65 x 65 mm Weight: 45 grams Item IS-9053		PVC edge strip New to sew at the edge on the reverse of the fabric Strip size: 9,5 x 2,7 mm x 200 m Total size: 300 (dia) x 145 (w) mm Weight: 6700 grams Item IS-9067
	Twist plate, square to attach feet to fabric system Total size: 37 x 37 x 2 mm Weight: 20 grams Item IS-9054		Wall bracket Kalle Total size: X x X mm Weight: xx grams Item IS-9068
	Twist plate, round xxxxxx xxxxxx. Total size: Ø 22 x 2,5 mm Weight: 11 grams Item IS-9055		Media screen holder, small Special with screw lock Total size: VESA75/100 Weight: 285 grams Max load 8 kilo Item IS-9041
	LED spotlight 2 pcs. in bag with Fabric connection Total size: X x X mm Weight: 270 grams/spot Item IS-9040		Media screen holder, large with shot gun prifile as connector Total size: VESA 200/400 Weight: 1525 grams Max load 20 kilo Item IS-9042
	Spotlight holder 35 mm of fabric spotlight profile Total size: 35 x 21 mm Weight: 5 grams Item IS-9043		Center connection profile To be joined together with a IS-9069 Total size: 120 mm Weight: 35 grams Item IS-9044


ISOframe Part list

Fabric system -Parts

25.05.2013

Keyboard table

can stabilize a screen
Total size:
Weight: X grams
Item IS-9302




End profile, 350 mm

Special for "Front Header"
Cut in 45° and attach 2 Fast Slot Clamps
in each side.
Total size: 37 x 37 x 350 mm
Weight: xx grams
Item IS-9360

Screw connector

Fabric - Fabric
Total size: 60 x 30 x 2 mm
Weight: 39 grams
Item IS-9306



Stabilising kit, 276 mm

Special for "Front Header"
2 D-beam, length 276 mm w/ clamps
1 I-beam, length 250 mm
Total size: 237 x 30 x 276 mm
Weight: 785 grams
Item IS-9361

90° Screw connector

for 90° inside corner connection
Total size: 30 x 30 x 2 mm
Weight: 39 grams
Item IS-9613



Adjustable support beam

Adjustable: 110 - 200 cm
2 D-beam, length 550 mm w/ clamps in
one end and a screw with handle 40 mm in
the other end.
1 center connection profile, 1060 mm with
a line, 80 mm in each end.
Size: 37 x 30 x 110 mm, Weight: xx grams
Item IS-9362

Ceiling connector

Fabric - Standard hub
Total size: 90 x 36 (15) x 2 mm
Weight: 35 grams
Item IS-9307



Adjustable support beam

Adjustable: 60 - 100 cm
2 D-beam, length 300 mm w/ clamps in
one end and a screw with handle 40 mm in
the other end.
1 center connection profile, 560 mm with a
line, 80 mm in each end.
Size: 37 x 30 x 60 mm, Weight: 640 g.
Item IS-9610

Twist Lock

to attach two post/beams to each other
Total size: mm
Weight: XX grams
Item IS-9339



Adjustable support beam

Adjustable: 100 - 180 cm
2 D-beam, length 500 mm w/ clamps in
one end and a screw with handle 40 mm in
the other end.
1 center connection profile, 960 mm with a
line, 80 mm in each end.
Size: 37 x 30 x 1000 mm, Weight: 995 g.
Item IS-9611

Arched side foot

for all standard and lightbox profile
Total size: 500 (w) x 300 (h) x 3 (t) mm
Weight: 1150 grams
Item IS-9342



Slatwall profile, 400

to connect spotlight to the beams.
Total size: 92 (90) x 8,3 x 380 mm
Weight: 2648 grams (800 g/m)
Item IS-9363

Arched half side foot

for all standard and lightbox profile
Total size: x (w) x x (h) x 3 (t) mm
Weight: X grams
Item IS-9612



Slatwall profile, 800

to connect spotlight to the beams.
Total size: 92 (90) x 8,3 x 780 mm
Weight: 2648 grams (800 g/m)
Item IS-9364

Corner trim, half

for Slatwall panels
Total size: 21 x 8,5 x XX mm
Weight: XX grams

2 sec.	165 mm	Item IS-9365
3 sec.	255 mm	Item IS-9366
4 sec.	345 mm	Item IS-9367
5 sec.	435 mm	Item IS-9368
6 sec.	525 mm	Item IS-9369
7 sec.	615 mm	Item IS-9370
8 sec.	705 mm	Item IS-9371
9 sec.	795 mm	Item IS-9372
10 sec.	885 mm	Item IS-9373



Shelf holder, 150 mm

One pair for 160-180 mm depth shelf
Complete with holder for glass shelf.

Item IS-9375



ISOframe Part list

Fabric system, Standard profiles




Start profile, 1000 mm

cut in 45° in the left side and 2 Fast Slot Clamp and 1 Fast Slot Clamp in the other side.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9070



Start profile w/ foot, 1000 mm

cut in 45° in the left side and 2 Fast Slot Clamp and 1 Fast Slot Clamp in the other side.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9071




Start Pole, 963 mm

cut in 45° in the left side and 2 Fast Slot Clamp and 1 Fast Slot Clamp in the other side and add a foot in center of the pole.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9072




Start corner profile w/ foot, 963 mm

cut in 45° in the left side and 2 Fast Slot Clamp and 1 Fast Slot Clamp in the other side and add a foot in center of the pole.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9073




End Pole, 1000 mm

cut in 45° in the left side and 2 Fast Slot Clamp and mount a center connection profile + Fast slot connector in the other side.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9074




End Pole, 1000 mm

cut in 45° in the left side and 2 Fast Slot Clamp and mount a center connection profile + Fast slot connector in the other side.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9075




End corner profile, 963 mm

cut in 45° in the left side and 2 Fast Slot Clamp and mount a center connection profile + Fast slot connector in the other side and add a foot in center of the pole.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9076




End corner profile w/ foot, 963 mm

cut in 45° in the left side and 2 Fast Slot Clamp and mount a center connection profile + Fast slot connector in the other side and add a foot in center of the pole.

Total size: 37 x 37 x 963 mm

Weight: xx grams

Item IS-9077




Extension profile, 1000 mm

in the left side, mount a center connection profile + Fast slot connector in the other side attach a Fast Slot Clamp.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9078




Extension profile w/ foot, 1000 mm

in the left side, mount a center connection profile + Fast slot connector in the other side attach a Fast Slot Clamp.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9079




Extension profile, 470 mm

in the left side, mount a center connection profile + Fast slot connector in the other side attach a Fast Slot Clamp.

Total size: 37 x 37 x 470 mm

Weight: xx grams

Item IS-9080




Extension profile, 270 mm

in the left side, mount a center connection profile + Fast slot connector in the other side attach a Fast Slot Clamp.

Total size: 37 x 37 x 270 mm

Weight: xx grams

Item IS-9081




Top/End profile, 1000 mm

cut in 45° and attach 2 Fast Slot Clamps in each side.

Total size: 37 x 37 x 1000 mm

Weight: xx grams

Item IS-9082




Top/End profile, 800 mm

cut in 45° and attach 2 Fast Slot Clamps in each side.

Total size: 37 x 37 x 800 mm

Weight: xx grams

Item IS-9083




Top/End profile, 600 mm

cut in 45° and attach 2 Fast Slot Clamps in each side.

Total size: 37 x 37 x 600 mm

Weight: xx grams

Item IS-9084



Start support D-profile, 963 mm

Mount a Fast Clamp in the left side.

Total size: 37 x 30 x 963 mm

Weight: xx grams

Item IS-9085




End support D-profile, 963 mm

in the left side, mount a center connection profile with the screw in the side groove, in the other side mount a Fast Clamp.

Total size: 37 x 30 x 963 mm

Weight: xx grams

Item IS-9086




Center support D-profile, 270 mm

in the left side, mount a center connection profile, with the screw in the side groove.

Total size: 37 x 30 x 270 mm

Weight: xx grams

Item IS-9303



Center support D-profile, 470 mm

in the left side, mount a center connection profile, with the screw in the side groove.

Total size: 37 x 30 x 470 mm

Weight: xx grams

Item IS-9304



Center support D-profile, 1000 mm

in the left side, mount a center connection profile, with the screw in the side groove.

Total size: 37 x 30 x 1000 mm

Weight: xx grams

Item IS-9305


ISOframe Part list

Fabric system, Standard profiles




Corner support profile, 1000 mm

cut the feder in each side 1n 45°.
Total size: 37 x 37 x 1000 mm
Weight: xx grams
Item IS-9087



Corner support profile, 470 mm

cut the profile.
Total size: 37 x 37 x 470 mm
Weight: xx grams
Item IS-9088



Corner support profile, 270 mm

cut the profile.
Total size: 37 x 37 x 270 mm
Weight: xx grams
Item IS-9089



Insert profile, Base, 997 mm

Cut out for Wave link, with stop screw 95 mm from bottom
Total size: 37 x 37 x 997 mm
Weight: xx grams
Item IS-9090



Insert profile, Center, 1000 mm

Total size: 37 x 37 x 1000 mm
Weight: xx grams
Item IS-9091



Insert profile, Center, 470 mm

Total size: 37 x 37 x 470 mm
Weight: xx grams
Item IS-9092



Insert profile, Center, 270 mm

Total size: 37 x 37 x 270 mm
Weight: xx grams
Item IS-9093



Insert profile, Top

with single top hub
Total size: 37 x 37 x 995 mm
Cutting length: 967 mm
Weight: xx grams
Item IS-9094



Vertical Support post, 200 cm

1 x IS-9085 + 1 x IS-9086

Item IS-9240



Vertical Support post, 227 cm

1 x IS-9085 + 1 x IS-9086 + 1 x IS-9303

Item IS-9241



Vertical Support post, 247 cm

1 x IS-9085 + 1 x IS-9086 + 1 x IS-9304

Item IS-9242



Vertical Support post, 300 cm

1 x IS-9085 + 1 x IS-9086 + 1 x IS-9305

Item IS-9243



90° Corner post, 200 cm

new model for Twist Lock
Delivered in 2 parts, 1000 + 1000 mm.
Including 4 Twist Lock connectors.

Item IS-9376



90° Corner post, 227 cm

new model for Twist Lock.
Delivered in 3 parts, 757 + 757 + 757 mm.
Including 6 Twist Lock connectors.

Item IS-9377



90° Corner post, 247 cm

new model for Twist Lock
Delivered in 3 parts, 823 + 823 + 823 mm.
Including 6 Twist Lock connectors.

Item IS-9378




90° Corner post, 300 cm

new model for Twist Lock
Delivered in 3 parts, 1000 + 1000 + 1000 mm.
Including 6 Twist Lock connectors.

Item IS-9379


ISOframe Part list

Fabric system, Standard profiles

	H-profile, 200 cm 2 pcs x 1000 mm Total size: Cutting length: Weight: xx grams Item IS-9248
	H-profile, 227 cm 2 pcs x 1000 mm, 1 pc. x 270 mm Total size: Cutting length: Weight: xx grams Item IS-9249
	H-profile, 247 cm 2 pcs x 1000 mm, 1 pc. x 470 mm Total size: Cutting length: Weight: xx grams Item IS-9250
	H-profile, 300 cm 3 pcs x 1000 mm Total size: Cutting length: Weight: xx grams Item IS-9251
	Start profile, 750 mm cut in 45° in the left side and 2 Fast Slot Clamp and 1 Fast Slot Clamp in the other side. Total size: 37 x 37 x 750 mm Weight: xx grams Item IS-9340
	End Pole, 750 mm cut in 45° in the left side and 2 Fast Slot Clamp and mount a center connection profile + Fast slot connector in the other side. Total size: 37 x 37 x 750 mm Weight: xx grams Item IS-9341
	Insert profile, 200 cm 1 x IS-9091 + 1 x IS-9094 Item IS-9252
	Insert profile, 227 cm for Wave Midi section 1 x IS-9090 + 1 x IS-9093 + 1 x IS-9094 Item IS-9253
	Insert profile, 247 cm for Wave Midi section 1 x IS-9090 + 1 x IS-9092 + 1 x IS-9094 Item IS-9254
	Insert profile, 300 cm 3 x IS-9091 + 1 x IS-9094 Item IS-9255

ISOframe Part list

Fabric system, Lightbox




Start profile, 1000 mm

cut in 45° in the left side and a straight cut in the other side.

Total size: 120 x 30 x 1000 mm

Weight: xx grams

Item IS-9590



End Pole, 1000 mm

cut in 45° in the left side and mount a center connection profile in the other side.

Total size: 120 x 30 x 1000 mm

Weight: xx grams

Item IS-9591



Start/End profile, 700 mm

cut in 45° at the both ends.

Total size: 120 x 30 x 700 mm

Weight: xx grams

Item IS-9598


Start/End profile, 1000 mm

cut in 45° at the both ends.

Total size: 120 x 30 x 1000 mm

Weight: xx grams

Item IS-9599



Extension profile, 1000 mm

in the left side, mount a center connection profile.

Total size: 120 x 30 x 1000 mm

Weight: xx grams

Item IS-9592

Extension profile, 500 mm

in the left side, mount a center connection profile.

Total size: 120 x 30 x 500 mm

Weight: xx grams

Item IS-9593

Extension profile, 470 mm

in the left side, mount a center connection profile.

Total size: 120 x 30 x 470 mm

Weight: xx grams

Item IS-9594

Extension profile, 270 mm

in the left side, mount a center connection profile.

Total size: 120 x 30 x 270 mm

Weight: xx grams

Item IS-9595



Start profile, 750 mm

cut in 45° in the left side and a straight cut in the other side.

Total size: 120 x 30 x 750 mm

Weight: xx grams

Item IS-9596



End profile, 750 mm

cut in 45° in the left side and mount a center connection profile in the other side.

Total size: 120 x 30 x 750 mm

Weight: xx grams

Item IS-9597



Ceiling mount kit

Complete with a ceiling mount, wire 2 metre, adjustable wire hook and frame hook.

Total size: 2 metre wire length

Weight: 70 grams

Max. load 18 kg.

Minimum 2 kit / frame

Item IS-9383



Wall mount support

to be mounted inside the frame in top and bottom of the profile (minimum 4 pcs.)

Total size:

Weight: 310 grams

Item IS-9384



LED-bar for lightbox

incl. 2 twist nuts

Size: 360 (l) x 28 mm (w)

Power: 24V / 15W (11W)

Colour temp: 7000-8000° K

900 lumen, IP33

IS-9380



Transformer

with connection cable

Input: 100-240V/AC

Output: 24V/DC, 150 W - 6,3A

Size: 170 (l) x 65 (w) x 40 (h) mm

For indoor use only

IS-9381



Extension cable

for LED-bar (white sockets)

Cable length: 1000 mm

IS-9382

Blocked for lightbox

IS-9385

IS-9386

IS-9387

IS-9388

IS-9389



Lightbox feet

for Lightbox profile with 2 bolts and nuts

Total size: 100 (w) x 500 (l) x 6 (t) mm

Weight: 2350 grams

Item IS-9338




Lightbox profile

single or double freestanding lightbox

Total size: 120 x 30 x 3300 mm

Weight: 8646 grams (2620 g/m)

Item IS-9332



Part list

All bags

Item No.	Desc.	N.W(kg)	Dimension (mm)
5064000	Bag for MP2 shelves		400x340x40
5060000	Swing Up bag black	0,72	406x335x267
5001000	Carrying Case,8 frames 70x100	1,91	1060x770x205
5002000	Carrying Case,10 frames 70x100	2,00	1060x770x244
5028000	Bag for Mini Bup plus 25cm(new built-in foam version)		290x160x147
5029000	Bag for Bup plus 60cm with new built-in foam	0,52	680x160x147
5020000	Bag for Bup plus 88cm with new built-in foam	0,63	950x160x147
5021000	Bag for Bup plus 100cm with new built-in foam	0,70	1070x160x147
5022000	Bag for Bup plus 120cm with new built-in foam	0,92	1270x160x147
5023000	Bag for Bup plus 150cm with new built-in foam	1,08	1570x160x147
5035000	Graphic bag for mini counter	1,80	Φ165x1215
5045000	Bag with square bottom	0,85	830x257x235
5046000	Bag with round bottom	2,06	Φ377x870
5047000	Bag of SanpUp MP2 Magbar(New Version)	0,13	890x222x222
5048000	Structure Bag for SnapUp MP2	0,16	890x222x222
82	Bag for 82040000 MP2 value	1,33	Φ295x1235
9038000	Case saver	0,44	737x435x279
5000000	Carrying case 4 frames 70x100cm	1,92	1090x770x110
5059000	Swing Up bag with wheel,black	2,20	435x406x267
5061000	Bag for wooden shelves (L=79cm)	0,41	790x264x50
5062000	Bag for wooden shelves (L=41cm)	0,27	430x264x50
5063000	Bag for Demobox of Flexiframe	0,37	358x278x77
5065000	Spotlight bag	0,51	540x235x100
IS-SL-LED	LED spotlight bag	0,51	540x235x100
86002	Outer bag for Multimaster	0,68	Φ165x1215
XX	Inner padding bag for Multimaster		Φ140x1230
5019000	Polebag	0,09	935x92
5036000	Bag for Flexiframe counter 35cm(one zipper)	2,58	1100x830x126
88098000	EGO MINI Demo bag	0,94	463x265x185
88087000	EGO bag for ROD,purple,curved	0,50	740x175x77
88097000	EGO bag for ROD,lime,curved.	0,42	560x175x77
88089000	EGO bag for Wing 64CM	0,73	680x204x135
88092000	EGO bag for feature Wing 108CM	0,53	1130x87x80
88081000	EGO Bag for Rod 108cm	0,58	1100x135x77
88088000	EGO Bag for Wing 108cm	1,02	1150x204x135
88083000	EGO Bag for Rod 64cm	0,38	670x135x77
88086000	EGO Bag for Rod 18cm	0,14	200x135x77
88084000	EGO Bag for Rod 44cm		470x135x77
88080000	EGO Junction bag with EVA foam	0,19	210x160x62
88099000	EGO Levelling Junction bag with EVA foam	0,14	210x160x62
88100000	Ego bag for rod,brown	0,48	700x312x100
88094000	Bag for shelf	1,08	890x355x110
88096000	magbar bag,gold & silver	0,47	1110x130x50
88104000	magbar bag,black	0,49	1220x130x50
88105000	magbar bag,pink	0,33	700x130x50

Part list

All bags

88101000	Bag for rod 117.5cm,black	0,58	1190x135x77
88102000	Bag for wing 117.5cm,black	1,00	1240x204x135
88091000	Bag for wing 18cm	0,30	200x204x135
88085000	Ego bag for rod,green	0,22	330x135x77
88090000	Ego bag for wing,green	0,34	340x240x135
82002	Bag for Midi Rec.desk	5,40	915x486x200
82003	Bag for Maxi Rec.desk	6,00	915x570x200
86	Soft inner bag for MM		Φ140x1230
81001	Bag for 81125930	1,56	960x320x140
82001	Bag for 82040000 MP2 value	1,33	Φ295x1235
5004000	carrying case,6 frame 70x100cm	2,18	1060x770x158
88	EGO demo bag		174x136x90
5051000	Bag for Impression 3	0,51	1010x170x70
5071CLIP	Bag for Desktop kit	1,01	790x635x112
10506	Bag for Expo rack 02	0,64	840x230x100
10507	Bag for Expo rack 05	0,50	740x230x100
10508	Bag for Expo rack 06	0,41	590x230x100
10509	Bag for Expo rack 08	0,58	900x230x100
IS-TC-01	Semi-rigid wheeled bag	5,50	985x330x223
IS-0850-RTB-S	Rigid graphic tube sleeve large	0,58	Φ320x910
IS-0850-RTS-S	Rigid graphic tube sleeve small	0,34	Φ270x920
IS-TC-01-MB	Semi-rigid wheeled bag	5,50	985x330x223
IS-0850-RTB-S-MB	Rigid graphic tube sleeve large	0,58	Φ320x910
IS-0850-RTS-S-MB	Rigid graphic tube sleeve small	0,43	Φ270x920
IS-DSQ-B	ISO demo square carrying bag	0,55	460x460x50
IS-DSQ-B-MB	ISO demo square carrying bag MB	0,55	460x460x50
82018	Bag for 82032 complete		680x255x385
IS-FB03-MB	Bag/free standing circ.counter	0,79	Φ680x90
81	Bag for cabrio		910x250x110
IS-FB02-MB	Bag for Large Rect.counter	0,93	1015x415x100
IS-80-TB03	Bag for keyboard table	0,72	860x350x100
IS-80-TB05	Attachment case	1,04	860x590x100
IS-5054	Bag for wave link	0,28	820x170x90
IS-5055	Bag for wave feet	0,15	365x185x40
IS-DOOR-BAG	ISO Door bag	1,16	1060x180x135
5058000	Carrying bag for Popup stretch	2,19	830x450x360

Part list



Base post

with FASTclamp in the bottom end.
Total size: 37 x 20 x 806 (800) mm
Weight: 410 grams
Item IS-9830



Base beam

with bar ends and side foot in each end a click lock in the center.
Total size: 37 x 20 x 764 (686) mm
Weight: 430 grams
Item IS-9833



Center post

with center connection profile in the bottom end.
Total size: 37 x 20 x 805 (715) mm
Weight: 375 grams
Item IS-9831



Top beam

with bar ends in each end and a top beam hanger in the center.
Total size: 37 x 20 x 764 (686) mm
Weight: 405 grams
Item IS-9834



Top post

with center connection profile in the bottom end and tensioner and small oval post cap in the top end.
Total size: 37 x 20 x 808 (700) mm
Weight: 395 grams (550 g/m)
Item IS-9832



Media screen holder

Top post complete with holder, VESA 75/100
Total size: 37 x 20 x 808 (700) mm
Weight: XX grams
Item IS-9835



Ripple Joint kit

6 pcs. (1 pair) + Kickers & Hangers
Total length: 2100 mm
Weight:
Item IS-9802



Ripple Kickers & Hangers

Total size: 799 (798) mm
Weight:
Item IS-9803



Ripple Joint

6 pcs. (1 pair)
Total length: 2100 mm
Weight:
Item IS-9804



Ripple foot, single

Total size: 470 (l) x 65 (w) x 36 (h) mm
Weight: 570 grams
Item IS-9865



Ripple foot, double

Total size: 470 (l) x 65 (w) x 36 (h) mm
Weight:
Item IS-9866

Spotlight for Ripple

Size: 130 - 280 (l) x 55 (Ø) mm
Weight: 130 (265) grams
Lamp: 5 W, 400 Lumen, 4000° K
Trafo: 100-240 V / 0,1 A out 19V
Cable: 3 meter
Item IS-9838



Conversion kit

for large graphic tube
Total size: dia. 440 mm
Weight: 2,455 grams
Item IS-9837

Ripple stand, single sided
Item IS-9800

Ripple stand, double sided
Item IS-9801

Ripple stand, 3-sections (2+1)

Item IS-9810

Ripple stand, 5-sections (3+2)

Item IS-9811

Ripple stand, 7-sections (4+3)

Item IS-9814

Ripple stand, 9-sections (5+4)

Item IS-9815

Ripple stand, 11-sections (6+5)

Item IS-9816

Ripple stand, 3-sections (2+1) with graphic tube and desk converter

Item IS-9812

Ripple stand, 5-sections (3+2) with hard case and table top

Item IS-9813

Part list

	Small Oval profile Total size: 37 x 20 x 3100 mm Weight: 1815 grams (550 g/m) Item IS-9850
	Bar end 1 pair (Left / Right) Size: 37,5 x 68,8 x 20,2 mm Weight: Item IS-9851
	Mag terminal, top 1 pair, left & right Size: Weight: Item IS-9868
	Mag terminal, bottom Size: 72,95 x 34 x 13,5 mm Weight: Item IS-9852
	Graphic hanger, side A/B Size: 47,67 x 48 x 7,75 mm Weight: Item IS-9853
	Side foot Size: 37,75 x 18,3 x 50 mm Weight: Item IS-9854
	Small oval post cap Size: 37 x 15 x 19,82 mm Weight: Item IS-9855
	Top beam hanger Size: 70,6 x 25 x 28,5 mm Weight: Item IS-9856
	Click lock handle Size: 45,2 x 12,5 x 22,8 mm Weight: Item IS-9857
	Click lock stop Size: 11 x 8 x 9,05 mm Weight: Item IS-9858
	Tensioner, static Size: 20 x 12,5 x 6,05 mm Weight: Item IS-9859
	Tensioner, dynamic Size: 72,75 x 12,5 x 6,05 mm Weight: Item IS-9860
	Click lock, base Size: 46 x 28,3 x 12,5 mm Weight: Item IS-9861
	Cast post for foot Size: 12,7 x 16,15 x 4,75 mm Weight: Item IS-9862
	Spring 1 for tensioner. Total size: 50 (L) x 1,0 (dia) mm Weight: Item IS-9863
	Spring 2 for quick lock. Total size: 25 (L) x 1,0 (dia) mm Weight: Item IS-9864
	Ripple foot without any fastening. Total size: 470 (l) x 65 (w) x 10 (h) mm Weight: Item IS-9867